EXAMTOPICS

-Expert Verified, Online, **Free**.



CERTIFICATION TEST

-CertificationTest.net - Cheap & Quality Resources With Best Support

Question #1 *Topic 1*

When considering the architecture of a clustered deployment of VMware vRealize Automation, which two components will require the configuration of an external load balancer? (Choose two.)

A. vRealize Suite Lifecycle Manager

B. vRealize Automation

C. VMware Identity Manager

D. PostgreSQL Database

E. vCenter Server

Suggested Answer: *B, C*

uvsk Most Recent 5 years, 4 months ago

B & C are correct.

upvoted 1 times

MMD 5 years, 10 months ago

B, C vRealize Lifecycle Manager: vRealize Lifecycle Manager does not support a highly available deployment. vRealize Automation: Content is replicated in a vRealize Automation cluster. Deploy a cluster behind a load balancer to enable high availability. VMware Identity Manager: Content in replicated in a VMware Identity Manager cluster. Deploy a cluster behind a load balancer to enable high availability
https://docs.vmware.com/en/vRealize-Automation/8.1/vrealize-automation-reference-architecture.pdf

upvoted 1 times

juannfernandez 5 years, 10 months ago

B y C https://docs.vmware.com/en/vRealize-Automation/8.1/vrealize-automation-reference-architecture.pdf

upvoted 1 times

Question #2 *Topic 1*

An administrator is tasked with creating cloud zones for an existing Amazon Web Services (AWS) cloud account.
Which type of compute resource can be added to the cloud zone?

A. Cluster

B. Elastic Cloud Compute (EC2) Instances

C. Availability Zones

D. Virtual Private Cloud (VPC)

Suggested Answer: *A*
Reference: https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID-DDAA67C6-EC17-41BD-BF15-98EEF9B0A418.html

gello 4 years, 11 months ago
C https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID-DDAA67C6-EC17-41BD-BF15-98EEF9B0A418.html
upvoted 1 times

mmario0 5 years, 2 months ago
Correct answer C!
upvoted 1 times

uvsk 5 years, 4 months ago
C looks correct.
upvoted 2 times

Garbage 5 years, 9 months ago
Answer is definitely C.
upvoted 1 times

squintyguy25 5 years, 9 months ago
It's C, you can choose the availability zone for the Regions.
upvoted 3 times

cedricbetrisey 5 years, 9 months ago
I guess that is C as well
upvoted 1 times

jsj1 5 years, 10 months ago
I believe answer is C - Availability Zones. Question asks what Compute Type and Cloud Zone's are mapped to AZs.
https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID-9E6FE02D-2519-4C5B-85BD-2330B8421D73.html#GUID-9E6FE02D-2519-4C5B-85BD-2330B8421D73Computes You can view and manage the compute resources that are available to provision workloads, such as AWS availability zones and vCenter clusters, to this cloud zone.
upvoted 4 times

jsj1 5 years, 10 months ago
I believe answer is C - Availability Zones. Question asks what Compute Type and Cloud Zone's are mapped to AZs.

https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID-9E6FE02D-2519-4C5B-85BD-2330B8421D73.html#GUID-9E6FE02D-2519-4C5B-85BD-2330B8421D73
upvoted 4 times

Jarratt Most Recent 4 years, 8 months ago
Computes You can view and manage the compute resources that are available to provision workloads, such as AWS availability zones and vCenter clusters, to this cloud zone.
upvoted 1 times

MMD 5 years, 10 months ago
correct answer is B question is saying "which type of compute....." compute in AWS is EC2
upvoted 1 times

Question #3 *Topic 1*

An administrator configures cloud accounts for vSphere, Amazon Web Services and Google Cloud Platform. Each public cloud account has a single region configured, with a single cloud zone associated with each. Company policy states that all development workloads should be deployed to the public cloud. The administrator wants to ensure that when creating blueprints for this project an appropriate constraint tag is specified to meet the placement policy and that App-
Dev users are allowed to select whether to deploy the machine to production or development. The tagging strategy states that development environments should be tagged with `dev` and production environments should be tagged `prod`.
Which two actions should the administrator take to ensure the objective is met? (Choose two.)

A. Add a capability tag to each public cloud zone, using env:prod as the key/value pair.

B. Add a capability tag to each vSphere cloud zone, using env:prod as the key/value pair.

C. Add a capability tag to each public cloud zone, using env:dev as the key/value pair.

D. Add a capability tag to each vSphere cloud zone, using env:dev as the key/value pair.

E. Add a capability tag to each cloud account, using env:prod as the key/value pair.

Suggested Answer: *B, C*
Reference: https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID-9DB7610D-9179-419B-9605-539F625A81D1.html

uvsk Most Recent 5 years, 4 months ago
Correct Answer
upvoted 3 times

Question #4 *Topic 1*

What are two purposes of projects in vRealize Automation? (Choose two.)

A. Add cloud accounts

B. Map compute resources to users and groups

C. Organize image mappings

D. Create tenants

E. Configure custom naming

Suggested Answer: *A, B*
Reference: https://cloudadvisors.net/2019/12/13/vrealize-automation-8-working-with-projects-first-considerations/

lucasmvbr Highly Voted 5 years, 10 months ago
B and E
upvoted 10 times

lucasmvbr Highly Voted 5 years, 10 months ago
B and EExplanation for E: https://vmguru.com/2020/03/create-custom-names-with-vrealize-automation-8/ “Or you want to use vRA (custom) properties to build your VM name in a dynamic way? This can be done with Custom Properties and the Custom Naming feature on a per vRA Project basis.“
upvoted 10 times

lordnano 5 years, 10 months ago
Explanation for E: https://vmguru.com/2020/03/create-custom-names-with-vrealize-automation-8/ “Or you want to use vRA (custom) properties to build your VM name in a dynamic way? This can be done with Custom Properties and the Custom Naming feature on a per vRA Project basis.“
upvoted 1 times

lfod77 Most Recent 5 years, 2 months ago
The answer must be "B & E"; There is no option to add "tenants" within the define project pane's; There is option to add users which agreed is "like" tenant mgmt (e.g. similar), but its still not a tenant in the proper term. As far as "Cloud Account", there is no option to add Cloud Account, you add Cloud Zones; there is a difference. Lastly, right on the "Provisioning" tab almost all way down is "Custom Naming". So with a PROJECTS "Users" and "Provisioning/Custom Naming" options how could you choose anything but B & E?
upvoted 1 times

tch 5 years, 4 months ago
vRA 8 makes it very easy to create custom names for your VMs using Infrastructure as Code, Custom Naming per Project
upvoted 1 times

tch 5 years, 4 months ago
vRA 8 makes it very easy to create custom names for your VMs using Infrastructure as Code, Custom Naming per ProjectI would choose B & D... Custom name is like Infrastructure as Code to built VM with difference name with you fine in blueprint...
upvoted 1 times

tch 5 years, 4 months ago
I would choose B & D... Custom name is like Infrastructure as Code to built VM with difference name with you fine in blueprint...
upvoted 2 times

uvsk 5 years, 4 months ago
B & E looks more correct.
upvoted 1 times

ADPILL20201981 5 years, 5 months ago
B and E are correct
upvoted 1 times

Pique 5 years, 8 months ago
B and D are correct Lecture Manual 5-12 Creating a Project Projects are similar to tenants in vRealize Automation 7. Projects organize your vRealize Automation system into resources that are associated with users and groups. Projects do not have hard security boundaries like tenants, but you can restrict some items so that they are available within a specific project onl
upvoted 2 times

mechfrontier 5 years, 9 months ago

B is definitely correct. E is debatable. While yes, you can create a custom naming template for VMs in projects, the main reason for projects to exists is for 'multi-tenancy' so to say. It's similar to business groups back in vRA 7.x With D, you can have different projects, different user access to it. I believe the better answer is B and D

upvoted 2 times

Question #5 *Topic 1*

Which vRealize Suite product helps an administrator understand the monetary impact of individual deployments and manage costs in vRealize Automation?

A. vRealize Log Insight

B. vRealize Operations

C. vRealize Network Insight

D. vRealize Suite Lifecycle Manager

Suggested Answer: *D*
Reference: https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vrealize-suite/vmware-vrealize-suite-lifecycle-manager-solution- overview.pdf

Community vote distribution



lucasmvbr Highly Voted 5 years, 10 months ago
my opnion B is correct
upvoted 8 times

manvi96 Most Recent 3 years, 8 months ago
B is correct
upvoted 1 times

Sumaira 4 years, 7 months ago
https://www.vmware.com/content/dam/digitalmarketing/vmware/en/pdf/products/vrealize-suite/vmware-vrealize-suite-lifecycle-manager-solution-overview.pdf Answer: D
upvoted 1 times

Pique 4 years, 11 months ago
vRealize Operation is not a Suite.
upvoted 1 times

uvsk 5 years, 4 months ago
B is correct as after VRB the costing module was integrated with vROPS in 8.x version
upvoted 1 times

mechfrontier 5 years, 9 months ago
B is correct. VMware discontinued vRealize Business for Cloud and integrated costing module into vRealize Operations. You can configure the parameters for pricing under Pricing Cards in vRA 8.x (Cloud Assembly > Infrastructure > Pricing Card) and you'll be able to configure your pricing parameters only if you've configured your vROps integration
upvoted 2 times

MMD 5 years, 10 months ago
B is correct https://docs.vmware.com/en/vRealize-Operations-Manager/7.5/com.vmware.vcom.config.doc/GUID-9D162B8A-FBF8-4713-901C-6E3A1A5B7AEA.html
upvoted 1 times

Mezze 5 years, 10 months ago
b is correct because vrops iintegrate costing module
upvoted 2 times

Question #6 *Topic 1*

The CTO releases a new company policy stating that all workloads need to be managed through vRealize Automation (vRA) so that access to day 2 operations can be controlled centrally through a policy. Prior to this policy, the App-Dev team deployed all of their 300 development and test workloads within a single public cloud vendor. The naming convention used for workloads is provided in the following table:

The App-Dev team needs to onboard all of the running development workloads into vRA and allocate them to the App-Dev project. The administrator creates a new Onboarding Plan and specifies the correct project and cloud account.
Which action should the administrator complete next to meet these requirements?

Environment	Naming Convention
development	dev-<app-id>-<id>
test	test-<id>
production	prod-<app-id>-<id>

A. Add 2 filtering rules, with Rule 1 criteria as ɹ€name:devɹ€ and Rule 2 criteria as ɹ€status:onɹ€.

B. Add 1 filtering rule and combine the criteria ɹ€name:testɹ€ and ɹ€status:offɹ€.

C. Add 1 filtering rule and combine the criteria ɹ€name:devɹ€ and ɹ€status:onɹ€.

D. Add 2 filtering rules, with Rule 1 criteria as ɹ€name:testɹ€ and Rule 2 criteria as ɹ€status:onɹ€.

Suggested Answer: *D*

Community vote distribution

C (100%)

lordnano Highly Voted 5 years, 10 months ago

It is C, since the question is about dev machines with status on. One rule with two criteria tags: https://docs.vmware.com/en/vRealize-Automation/8.1/Using-and-Managing-Cloud-Assembly/GUID-7378C2F1-1AA3-47BB-AB5B-9E0480893D35.html

upvoted 5 times

D_B Most Recent 4 years, 9 months ago

Answer is C since the quest asks for all dev VMs that are on. Answer D would give all dev VMs AND all On VMs

upvoted 1 times

gello 4 years, 11 months ago

Correct is D. "running development workloads"

upvoted 1 times

uvsk 5 years, 4 months ago

C should be correct as the ask is to onboard DEV VMs not test.

upvoted 2 times

Question #7 *Topic 1*

An administrator is configuring a cloud account for Microsoft Azure.
Which piece of information must the administrator provide in order to successfully add this cloud account?

A. Username

B. IP address

C. Password

D. Subscription ID

Suggested Answer: *D*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.0/Using-and-Managing-Cloud-Assembly/GUID-F7656A16-6E21-4D5E-8F3A-AF38D365555F.html

Pique Most Recent 5 years, 8 months ago
10-8 Microsoft Azure: Credentials Lecture Manual Subscription ID: Allows you to access to your Microsoft Azure subscriptions.
upvoted 2 times

Deepthi_grandhi 5 years, 9 months ago
D is correct
upvoted 1 times

Question #8 *Topic 1*

An administrator is preparing for a proof-of-concept using vRealize Automation to demonstrate the value of self-service automation. Its development environment has limited resources due to other competing projects.
Which type of vRealize Automation deployment should the administrator use when deploying with the vRealize Easy Installer?

A. Standard

B. Highly Available

C. Clustered

D. Federated

Suggested Answer: *C*
Reference: https://docs.vmware.com/en/VMware-vRealize-Suite-Lifecycle-Manager/8.1/com.vmware.vrsuite.lcm.8.1.doc/GUID-26003B0F-69E3-4D30-8625- 64C000D5A12F.html

Community vote distribution
A (100%)

MohamedFouadZ Highly Voted 5 years, 10 months ago
I think it is A
upvoted 9 times

julianvan2217 Most Recent 4 years, 3 months ago
should be A
upvoted 1 times

uvsk 5 years, 4 months ago
A only as it was for POC and moreover there are limited resources.
upvoted 2 times

robertoj2 5 years, 6 months ago
A, The standard deployment is used only for proof of concept and testing. The clustered deployment is used for production. from the book.
upvoted 1 times

mechfrontier 5 years, 9 months ago
For proof of concept alone just a single node of vRA 8.x would do. Furthermore, the question did mention limited resources. A single node of vRA appliance will take up 12 vCPU and 40GB of RAM Refer to concurrency max here: https://docs.vmware.com/en/vRealize-Automation/8.0/reference-architecture/GUID-9DD443EA-0F7A-43B3-AD0A-8370B56109BE.html
upvoted 3 times

Saad_Ahmed 5 years, 10 months ago
A - is correct
upvoted 2 times

Mezze 5 years, 10 months ago
A correct it's clean in thé course material
upvoted 3 times

lucasmvbr 5 years, 10 months ago
Me too, A
upvoted 2 times

Question #9 *Topic 1*

An administrator is building a blueprint to allow users to select a cloud type.
The cloud type options are:
➪ Amazon Web Services
➪ vSphere
Where will the administrator configure capability tags so that the proper compute is selected at the time of deployment?

A. Projects

B. Cloud Accounts

C. Cloud Zones

D. Network Profile

Suggested Answer: *C*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.1/Using-and-Managing-Cloud-Assembly/GUID-8E630DEA-4732-45FC-9655-6933D55818C1.html

uvsk Most Recent 5 years, 4 months ago
C is correct. You can create capability tags on compute resources, cloud zones, images and image maps, and networks and network profiles
upvoted 3 times

Pique 5 years, 8 months ago
Then the answer should be C and D: Lecture Manual 7-9 Capability Tags and Constraint TagsCapability tags can be placed on resources, cloud zones, storage profiles, and network profiles.
upvoted 1 times

ollafz 5 years, 9 months ago
C - definetely Cloud Zones, f.i. capability tag for cloud zone AWS cloud:public, and the other one for vSphere cloud:private
upvoted 2 times

Garbage 5 years, 9 months ago
I have tested this with 8.1 and capability tags can be added in Cloud Zone and Cloud Accounts. I would say Cloud Accounts (B).
upvoted 1 times

AleemUddin 5 years, 10 months ago
C is correct.
upvoted 4 times

Saad_Ahmed 5 years, 10 months ago
I think it's A (project)It is C: "A capability tag is placed on a specific resource to indicate a capability. Capability tags can be placed on resources, cloud zones, storage profiles, and network profiles "
upvoted 1 times

Saad_Ahmed 5 years, 10 months ago
I think it's A (project)
upvoted 1 times

lordnano Highly Voted 5 years, 10 months ago
It is C: "A capability tag is placed on a specific resource to indicate a capability. Capability tags can be placed on resources, cloud zones, storage profiles, and network profiles "
upvoted 5 times

Question #10 *Topic 1*

An administrator needs to create a new project for the development team.
Which vRealize Automation resource can be added to a project?

A. Cloud Zones

B. Cloud Accounts

C. Flavor Mappings

D. Image Mappings

Suggested Answer: *A*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.2/Using-and-Managing-Cloud-Assembly/GUID-55F871CF-87BF-4BE5-8429-8DFB63286E22.html

uvsk Most Recent 5 years, 4 months ago
A is correct.
upvoted 1 times

Question #11 *Topic 1*

Which feature should an administrator use in order to place virtual machine deployments on specific datastores?

A. Image mappings

B. Flavor mappings

C. Storage profiles

D. Network profiles

Suggested Answer: *C*

arunkpskpm Most Recent 4 years, 10 months ago

Correct answer

upvoted 1 times

Question #12 *Topic 1*

An administrator needs to import Cloud Assembly blueprints into Service Broker.
What are two pre-requisite steps that must be performed in Cloud Assembly? (Choose two.)

A. Clone the blueprint.

B. Test the blueprint.

C. Release the blueprint to Service Broker.

D. Version the blueprint.

E. Download the blueprint to Service Broker.

Suggested Answer: *C, D*
Reference: https://docs.vmware.com/en/VMware-Service-Broker/services/Using-and-Managing/GUID-4D1352FD-5D19-4955-9CF3-9CB05063C401.html

tgybyt 4 years, 11 months ago
It is B & D definitely, tested in the LAB.I guess correct answers are C and D. Testing of blueprint is not a mandatory but you must release new version in order to release to service broker.
upvoted 1 times

tgybyt 4 years, 11 months ago
It is B & D definitely, tested in the LAB.
upvoted 1 times

arunkpskpm Most Recent 4 years, 10 months ago
I guess correct answers are C and D. Testing of blueprint is not a mandatory but you must release new version in order to release to service broker.
upvoted 1 times

admyn1997 5 years ago
I think B & D . Cause U need to test the blueprint before release this blueprint.
upvoted 1 times

Deepthi_grandhi 5 years, 9 months ago
C and D
upvoted 4 times

Question #13 *Topic 1*

Which option should an administrator configure to implement storage profiles in blueprints?

A. Cloud zones

B. Projects

C. Tags

D. Flavor mappings

Suggested Answer: *C*

itexampro092 Most Recent 5 years, 10 months ago

C is correct https://docs.vmware.com/en/vRealize-Automation/8.2/Using-and-Managing-Cloud-Assembly/GUID-623A6992-4E4B-40C1-A697-E1933A285203.html

upvoted 1 times

Question #14 *Topic 1*

Which two public cloud accounts are supported for vRealize Automation? (Choose two.)

A. Microsoft Azure

B. Oracle Cloud

C. Amazon Web Services

D. IBM Cloud

E. Alibaba Cloud

Suggested Answer: *A, C*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.0/Using-and-Managing-Cloud-Assembly/GUID-6667AA70-169A-4E03-A377-B2B4533910D4.html

asgharcity Most Recent 5 years, 2 months ago

A,C is correct.

upvoted 1 times

Question #15 *Topic 1*

Which vRealize Automation service is a development- and process-automation platform that supports extensibility and Anything-as-a-Service (XaaS) features in vRealize Automation?

A. Cloud Assembly

B. Code Stream

C. vRealize Orchestrator

D. Service Broker

Suggested Answer: *C*
Reference: https://thecloudxpert.net/2019/12/12/vra8-lets-talk-about-xaas/

robertoj2 Most Recent 5 years, 8 months ago

C With the vRealize Orchestrator integration to Cloud Assembly, you deploy a cloud extensibility proxy instance, that can be used for extensibility subscriptions and XaaS (Anything as a Service) operations used for cloud templates. https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID-6EF5FAA7-4480-4A1C-A0E5-5388369863A8.html

upvoted 1 times

Question #16 *Topic 1*

While deploying a virtual machine blueprint, an administrator encounters the following error:
Error: com.vmware.xenon.common.LocalizableValidationException: Unable to find a valid subnet for network 'Network_External' of type 'EXISTING' with constraints '[dc:metro, tier:1]', reasons: [Network profile 'publicnet / Metro' was skipped because [Network [Network_External] allocation: cannot allocate a network with static IP ranges for profile 'publicnet / Metro'.]]
Where should the administrator start to troubleshoot?

A. Cloud Zones

B. Projects

C. Network Profiles

D. Tags

Suggested Answer: *C*

lordnano Most Recent 5 years, 10 months ago

I agree with C: I would start investigating on the settings in the network profiles, but the tagging could be wrong either.
upvoted 1 times

Question #17 *Topic 1*

An administrator is tasked with integrating vRealize Operations and vRealize Automation.
Which two pieces of information will the administrator require to perform this integration? (Choose two.)

A. The license key for vRealize Operations

B. The vRealize Orchestrator details through which vRealize Operations will be configured

C. The IP/FQDN of the vRealize Operations server

D. The vRealize Operations login username and password

E. The SSL certificate of the vRealize Operations server

Suggested Answer: *C, D*
Reference: https://docs.vmware.com/en/vRealize-Operations-Manager/8.1/com.vmware.vcom.core.doc/GUID-25F0450A-86CE-4E47-84D0-82C01DF47D27.html

tgybyt Most Recent 4 years, 11 months ago
C&D is correct tested in LAB VRA - Cloud Assembly - Infrastructure - Integrations - vRealize Operations Manager Are required for integration with vRealize Operations Manager the following mandatory details: - Name - IP Address / FQDN - Username - Password
upvoted 1 times

Pheakdey 5 years, 9 months ago
C&D Correct. https://docs.vmware.com/en/vRealize-Operations-Manager/8.2/com.vmware.vcom.core.doc/GUID-822BB5DD-D84D-420D-BD12-DBFE096322BA.html
upvoted 2 times

lordnano 5 years, 9 months ago
I am wondering why answer C and D is about connection information of vROp. It should be the other way around since you have to add the vRA connections informations in vROp. This is exactly what is stated in the reference.
upvoted 2 times

Question #18 *Topic 1*

Which kubectl command should be run to find the Kubernetes authentication method?

A. kubectl describe pod

B. kubectl describe secrets

C. kubectl -n prelude describe pod

D. kubectl explain

Suggested Answer: *A*

lucasmvbr Highly Voted 5 years, 10 months ago

correct is B

upvoted 6 times

uvsk Most Recent 5 years, 4 months ago

B is correct.

upvoted 1 times

slabywielblad 5 years, 5 months ago

B is correct.

upvoted 1 times

elratais 5 years, 9 months ago

B is correct. A show you information about a specific pod.

upvoted 1 times

Question #19 *Topic 1*

Which command should an administrator run to check the status of vRealize Automation services?

A. kubectl cluster-info -n prelude

B. vracli status

C. kubectl -n prelude get pods

D. vracli org-oauth-apps

Suggested Answer: *B*
Reference: https://docs.vmware.com/en/VMware-Validated-Design/6.0/sddc-operational-verification/GUID-040957F2-F4F0-46CE-857B-A0BAF03355EB.html

sun_rocky Most Recent 5 years ago
C should be correct.
upvoted 1 times

ex_profa 5 years, 2 months ago
C is correct. I've tested it on the vRA appliance.
upvoted 1 times

uvsk 5 years, 4 months ago
C is correct for version 8.x.
upvoted 1 times

claw85 5 years, 4 months ago
C is correct. vracli status will give you stats on the appliance and initiate a health check on the postgresql database. The equivalent vracli command is vracli service status which is referenced in the reported answer.
upvoted 1 times

slabywielblad 5 years, 5 months ago
C is correct
upvoted 1 times

fpolaco 5 years, 5 months ago
wrong B for version 6. C is the correct. https://garyflynn.com/technology/vmware/vrealize-automation-8x-troubleshooting/
upvoted 1 times

fengyuan 5 years, 9 months ago
C https://docs.vmware.com/cn/vRealize-Automation/8.1/Administering/GUID-99D06124-13F8-489A-B43C-EAEC3F4FE582.html
upvoted 1 times

itexampro092 5 years, 9 months ago
C is correct , B is for clutser status
upvoted 1 times

MMD 5 years, 10 months ago
Correct Answer is C Verify that all services are up and running with the following command. kubectl get pods --all-namespaces
https://docs.vmware.com/en/vRealize-Automation/8.0/Administering/GUID-99D06124-13F8-489A-B43C-EAEC3F4FE582.html
upvoted 2 times

Groot 5 years, 10 months ago
C for vRA 8
upvoted 3 times

Maq 5 years, 10 months ago
Its C .. question is for VR automation service
upvoted 3 times

lucasmvbr 5 years, 10 months ago
B in my opnion correct command is vracli service status https://docs.vmware.com/en/VMware-Validated-Design/6.0/sddc-operational-verification/GUID-040957F2-F4F0-46CE-857B-A0BAF03355EB.html
upvoted 2 times

Question #20 *Topic 1*

The vRealize Orchestrator Service runs as a Kubernetes pod within each vRealize Automation appliance.
Which two containers make up the vRealize Orchestrator Service? (Choose two.)

A. vco-controlcenter

B. vco-server

C. vco-inventory

D. vro-controlcenter

E. vro-server

Suggested Answer: *A, B*
Reference: https://docs.vmware.com/en/vRealize-Orchestrator/8.1/vrealize-orchestrator-81-install-config-guide.pdf

uvsk Most Recent 5 years, 4 months ago
Correct
upvoted 1 times

Question #21 *Topic 1*

What is the main difference between vRealize Orchestrator non-persistent logs and persistent logs?

A. Log Insight forwarding configuration

B. Storing of events in the database

C. Time Synchronization of logs

D. Logging level configuration

Suggested Answer: *B*
Reference: https://docs.vmware.com/en/vRealize-Orchestrator/7.6/com.vmware.vrealize.orchestrator-install-config.doc/GUID-4E29EBE7-181D-4B17-982E- 7599F9164F1B.html

Manunkind Most Recent 5 years, 9 months ago
B is correct, https://docs.vmware.com/en/vRealize-Orchestrator/8.1/com.vmware.vrealize.orchestrator-install-config.doc/GUID-4E29EBE7-181D-4B17-982E-7599F9164F1B.html
upvoted 1 times

elratais 5 years, 9 months ago
B is correct
upvoted 1 times

Question #22 *Topic 1*

Which command should an administrator run to collect a vRealize Automation log bundle?

A. kubectl -n prelude logs

B. vracli log-bundle

C. vracli vrli

D. kubectl get pods --all-namespaces

Suggested Answer: *B*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.0/administering-vrealize-automation.pdf

ex_profa Most Recent 5 years, 2 months ago
B is correct. I've checked in vRA appliance.
upvoted 1 times

Kerry001 5 years, 7 months ago
B is correct https://docs.vmware.com/en/vRealize-Automation/8.3/Administering/GUID-EB314825-845A-4F31-8155-53F99F0B7B3C.html
upvoted 1 times

elratais 5 years, 9 months ago
B is correct, see reference provided by examtopics.
upvoted 2 times

Question #23 *Topic 1*

Although an organization has sufficient capacity within the on-premises VMware SDDC, the CTO has decided to evolve the public cloud strategy into a `Right
Cloud First` strategy. To support this, the administrator has suggested the use of vRealize Automation to provide a consistent portal with a multi-cloud service catalog to enable the users to use self-service to deploy workloads into different clouds. The administrator needs to configure cloud accounts for public clouds to support the new strategy.
Which two of the public clouds are supported platforms? (Choose two.)

A. Google Cloud Platform

B. Microsoft Azure

C. IBM Cloud

D. OVH Cloud

E. Oracle Cloud

Suggested Answer: *A, B*

uvsk Most Recent 5 years, 4 months ago

Correct.

upvoted 1 times

Question #24 *Topic 1*

When creating a subscription in Cloud Assembly, what are the two types of runnable items available for executing code? (Choose two.)

A. Python

B. vRO Workflow

C. ABX Action

D. PowerShell

E. Node.js

Suggested Answer: *A, C*

Reference: https://www.stevenbright.com/2020/02/custom-hostname-generation-in-vrealize-automation-8/2/

Community vote distribution



Saad_Ahmed Highly Voted 5 years, 10 months ago

I think B,C https://docs.vmware.com/en/vRealize-Automation/8.0/Using-and-Managing-Cloud-Assembly/GUID-CA30B6E8-0DFD-4679-84B2-06B4D3A1CBEF.html

upvoted 8 times

SneakyBD Most Recent 3 years, 7 months ago

vRO and ABX

upvoted 1 times

uvsk 5 years, 4 months ago

B & C are correct.

upvoted 1 times

elratais 5 years, 9 months ago

B&C 100%. I just did the vRA ICM course. This question was answered directly by the instructor.

upvoted 3 times

Deepthi_grandhi 5 years, 9 months ago

B and C

upvoted 2 times

nkumar3322 5 years, 9 months ago

B&C https://docs.vmware.com/en/vRealize-Automation/8.0/Using-and-Managing-Cloud-Assembly/GUID-CA30B6E8-0DFD-4679-84B2-06B4D3A1CBEF.html --->under Procedure line no 6

upvoted 3 times

Prativa20 5 years, 10 months ago

Ans will be B & C

upvoted 4 times

atilllla 5 years, 10 months ago

B and C

upvoted 3 times

lucasmvbr 5 years, 10 months ago

A and E

upvoted 2 times

lucasmvbr 5 years, 10 months ago

A and ERunnable items are vRO Workflows and ABX Actions which allow two use different runtime script languages as Pyhton, Powershell or Node.js. You can easily check it on a lab environmentTherefore the answer is B and C

upvoted 2 times

lordnano 5 years, 9 months ago

Runnable items are vRO Workflows and ABX Actions which allow two use different runtime script languages as Pyhton, Powershell or Node.js. You can easily check it on a lab environment

upvoted 1 times

lordnano 5 years, 9 months ago

Runnable items are vRO Workflows and ABX Actions which allow two use different runtime script languages as Pyhton, Powershell or Node.js. You can easily check it on a lab environmentTherefore the answer is B and C

upvoted 1 times

lordnano 5 years, 9 months ago

Therefore the answer is B and C

upvoted 2 times

Question #25 *Topic 1*

Which three VMware vRealize Suite components can be installed with the vRealize Easy Installer?
(Choose three.)

A. vRealize Log Insight

B. vRealize Network Insight

C. VMware Identity Manager

D. vRealize Automation

E. vRealize Operations

F. vRealize Suite Lifecycle Manager

Suggested Answer: *C, D, F*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.1/installing-vrealize-automation-easy-installer/GUID-CEF1CAA6-AD6F-43EC-B249- 4BA81AA2B056.html

elratais Most Recent 5 years, 9 months ago
Correct answers, C, D, F. LCM is required first, deploys vIDM then and vRA instance(s) last.
upvoted 3 times

Question #26 *Topic 1*

Which vRealize Automation service is only available through an external appliance in vRealize Automation Cloud?

A. Code Stream

B. Cloud Assembly

C. Service Broker

D. vRealize Orchestrator

Suggested Answer: *D*
Reference: https://blogs.vmware.com/management/2019/10/vrealize-automation-new-install-and-configuration.html

zeca123 Most Recent 5 years, 7 months ago
the correct answer is vro! look he is asking about vra cloud, which requires a on-prem vro applience
upvoted 2 times

forcerk 5 years, 8 months ago
I'm not sure if this is legit question at the exam as the orchestrator is embedded and running as a Kubernetes pod inside the vRA appliance. Having that said an external vRO can be configured as well.
upvoted 1 times

elratais 5 years, 9 months ago
correct, Orchestrator it is
upvoted 1 times

Question #27 *Topic 1*

Where can an administrator examine the commands sent to cloudConfig by vRealize Automation during machine provisioning?

A. Extensibility > Library > Workflow Runs

B. Infrastructure > Activity > Events Log

C. Deployment > Provisioning Diagram > Dev Mode

D. Extensibility > Activity > Workflow Runs

Suggested Answer: *D*

lucasmvbr Highly Voted 5 years, 10 months ago

C in my opnion

upvoted 5 times

slabywielblad Most Recent 5 years, 5 months ago

C is correct

upvoted 1 times

robertoj2 5 years, 8 months ago

C, from students book: It is also possible to examine the actual commands sent to cloudConfig by vRealize Automation. Use the following procedure: 1 Open the Deployment in vRealize Automation. 2 Click History. 3 Click Provisioning Diagram. 4 Use the slider to turn the Dev mode on.

upvoted 2 times

AleemUddin 5 years, 10 months ago

Correct Answer should be C as confirmed by vRealize Automation Study Guide on BookShelf.

upvoted 3 times

Question #28 *Topic 1*

Which vracli command should be run to check vRealize Automation cluster information?

A. vracli vidm

B. vracli status

C. vracli db

D. vracli cluster

Suggested Answer: *B*
Reference: https://garyflynn.com/technology/vmware/vrealize-automation-8x-troubleshooting/

ex_profa Most Recent 5 years, 2 months ago
Correct
upvoted 1 times

uvsk 5 years, 4 months ago
Correct.
upvoted 1 times

Question #29 *Topic 1*

The Quickstart wizard executes multiple actions when submitted.
What is one of the actions that is always executed by the Quickstart wizard?

A. Execute subscriptions for an event topic

B. Create an Active Directory integration

C. Send approval notification

D. Request a deployment from a machine catalog item

Suggested Answer: *B*
Reference: https://blogs.vmware.com/management/2019/10/vrealize-automation-new-install-and-configuration.html

Saad_Ahmed Highly Voted 5 years, 10 months ago
I think D
upvoted 6 times

MMD Highly Voted 5 years, 10 months ago
The correct answer is D See QuickStart screenshot in the below link https://blogs.vmware.com/management/2019/10/vrealize-automation-new-install-and-configuration.html
upvoted 5 times

fadyfawzey Most Recent 4 years, 3 months ago
D is answer
upvoted 1 times

kurta 5 years ago
The Quickstart wizard is run after you've gotten vRA up and running. follow the reference and look at the last item with a checkmark. it's D - Request deployment from machine catalog item. Therefore correct answer is D.
upvoted 1 times

uvsk 5 years, 4 months ago
D is correct.
upvoted 1 times

slabywielblad 5 years, 5 months ago
D is correct
upvoted 1 times

Manunkind 5 years, 9 months ago
D https://docs.vmware.com/en/vRealize-Automation/8.1/Getting-Started-Cloud-Assembly/GUID-4090D3A8-49C5-4530-8359-C8265B784C80.html
upvoted 2 times

elratais 5 years, 9 months ago
D is correct
upvoted 1 times

Question #30 *Topic 1*

Which two components can be used to add a directory for identity and access management? (Choose two.)

A. vRealize Automation

B. vRealize Suite Lifecycle Manager

C. vCenter Server

D. vRealize Operations

E. VMware Identity Manager

Suggested Answer: *B, E*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.0/Administering/GUID-29D1F2C2-5878-4AB0-A382-0127BF22D42F.html

uvsk Most Recent 5 years, 4 months ago
Correct.
upvoted 1 times

Deepthi_grandhi 5 years, 9 months ago
B and E is correct
upvoted 2 times

Question #31 *Topic 1*

Refer to the exhibit.

An administrator receives the error in the attached screenshot when attempting to add a cloud account.
What is a possible cause of this error?



A. The hostname uses a URL instead of IP address/FQDN.

B. A cloud account exists with the same name.

C. The username and password are incorrect.

D. There is an invalid certificate for the vCenter.

Suggested Answer: *C*

squintyguy25 Highly Voted 5 years, 10 months ago

It's A. If the cloud account already exists, you get a short error messaging stating "cloud account already exists with this identifier". Can't use https:// in the name

upvoted 10 times

uvsk Most Recent 5 years, 4 months ago

A is only correct answer.

upvoted 1 times

elratais 5 years, 9 months ago

A for sure. Can't enter a URL when FQDN or IP are wanted. Also says invalid hostname

upvoted 1 times

hemant 5 years, 9 months ago

Correct is A . In error it is mentioned that invalid hostname . While adding vCenter as cloud account either FQDN or IP is acceptable . URL is not acceptable .

upvoted 1 times

Deepthi_grandhi 5 years, 9 months ago

B is correct

upvoted 1 times

lucasmvbr 5 years, 10 months ago

B is correct, tested in my lab

upvoted 2 times

MohamedFouadZ 5 years, 10 months ago

A not C

upvoted 2 times

Question #32 *Topic 1*

Refer to the exhibit.

An administrator is testing a newly created Windows 2016 blueprint in Cloud Assembly. While using the Test option from within the blueprint, the attached error appears.
What is a possible cause for this error message?



A. The network profile created did not have the correct capability tag.

B. During the machine allocation phase, Cloud Assembly could not find enough resources.

C. The administrator did not associate a cloud zone to the project.

D. The administrator did not add a cloud account.

Suggested Answer: *A*
Reference: https://docs.vmware.com/en/vRealize-Automation/8.2/vrealize-automation-transition/GUID-F3541BFC-E154-4E76-8845-FAF4E40632E3.html

lucasmvbr Highly Voted 5 years, 10 months ago
C is correct
upvoted 5 times

safodz Most Recent 4 years, 7 months ago
A is the correct
upvoted 1 times

Pique 4 years, 11 months ago
https://docs.vmware.com/en/vRealize-Automation/8.3/vrealize-automation-transition/GUID-F3541BFC-E154-4E76-8845-FAF4E40632E3.htmlhttps://docs.vmware.com/en/vRealize-Automation/8.3/vrealize-automation-transition/GUID-F3541BFC-E154-4E76-8845-FAF4E40632E3.html If your source Blueprint contained a reservation policy and that reservation policy is deleted before migration, the reservation policy is migrated and tagged on the VMware Cloud Template. However, when you attempt to provision a VMware Cloud Template (formerly Blueprint) in vRealize Automation 8, it fails because the reservation policy does not exist and issues this error message during provisioning: "No placement exists that satisfies all of the request requirements. See if suitable placements and cloud zones exist for the current project and they have been properly tagged."

To remediate this, open the VMware Cloud Template in vRealize Automation 8 and remove the tag.
upvoted 1 times

Pique 4 years, 11 months ago

https://docs.vmware.com/en/vRealize-Automation/8.3/vrealize-automation-transition/GUID-F3541BFC-E154-4E76-8845-FAF4E40632E3.htmlhttps://docs.vmware.com/en/vRealize-Automation/8.3/vrealize-automation-transition/GUID-F3541BFC-E154-4E76-8845-FAF4E40632E3.html If your source Blueprint contained a reservation policy and that reservation policy is deleted before migration, the reservation policy is migrated and tagged on the VMware Cloud Template. However, when you attempt to provision a VMware Cloud Template (formerly Blueprint) in vRealize Automation 8, it fails because the reservation policy does not exist and issues this error message during provisioning: "No placement exists that satisfies all of the request requirements. See if suitable placements and cloud zones exist for the current project and they have been properly tagged." To remediate this, open the VMware Cloud Template in vRealize Automation 8 and remove the tag.And the answers is than?I can telle you A i have already tested it

upvoted 1 times

Onder 4 years, 11 months ago

And the answers is than?

upvoted 1 times

Onder 4 years, 11 months ago

And the answers is than?I can telle you A i have already tested it

upvoted 1 times

safodz 4 years, 7 months ago

I can telle you A i have already tested it

upvoted 1 times

uvsk 5 years, 4 months ago

C is correct.

upvoted 1 times

Deepthi_grandhi 5 years, 9 months ago

yes C is the answer

upvoted 1 times

Question #33 *Topic 1*

An administrator configures a lease policy with the following settings:
✑ Maximum lease (days): 10
✑ Maximum total lease (days): 30
✑ Grace period (days): 5
If a user does not respond to any emails, after how many days will the deployment be destroyed?

A. 35

B. 15

C. 40

D. 10

Suggested Answer: *A*

lucasmvbr Highly Voted 5 years, 10 months ago
B is correct
upvoted 10 times

eswarx Most Recent 4 years, 8 months ago
B is correct.. The user does not respond after 10 days. Hence as the per the policy, since there is no response the deployment will be destroyed after 5 days. so 10+5 = 15 days.
upvoted 1 times

hrico 4 years, 11 months ago
The correct answer is A (35 days). Please notice the difference when the "deployment resources" are destroyed and the "deployment" is destroyed. See extract below Lease (days). The maximum number of days that the deployment resources are available before they are destroyed. Total lease (days). The total number of days before the deployment is destroyed and the resources are reclaimed.
upvoted 2 times

uvsk 5 years, 4 months ago
B is correct.
upvoted 1 times

elratais 5 years, 9 months ago
B. 10 days lease + 5 days grace = 15 days.
upvoted 1 times

itexampro092 5 years, 9 months ago
https://docs.vmware.com/en/vRealize-Automation/8.1/Using-and-Managing-Service-Broker/GUID-87B2B204-3B4F-458F-826E-82CE7246FDA4.html B is correct
upvoted 2 times

squintyguy25 5 years, 10 months ago
B, maximum lease is the default lease period.
upvoted 3 times

nkumar3322 5 years, 10 months ago
B is COrrect
upvoted 4 times