EXAMTOPICS

-Expert Verified, Online, **Free**.



CERTIFICATION TEST

-CertificationTest.net - Cheap & Quality Resources With Best Support

Question #1 *Topic 1*

An implementation engineer is racking a Dell PowerProtect Data Domain appliance at a customer site. The controller and all expansion shelves are in the rack, and all the data cables are connected.

What must they validate before connecting the power cables?

A. The site supports three phase power to the rack

B. The voltage aligns with the system requirements.

C. There are dual power connections for the appliance

D. There is a single power connection for the appliance

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Question #2 *Topic 1*

A security company requires limited access for their Dell PowerProtect Data Domain appliance. An account named DPAdnmin is created with the limited-admin role. The user is able to log in to the Data Domain System Manager, but receives an Access Denied error when trying to open an FTP session.

What is the cause of this error?

A. Only accounts with the admin role are permitted to access the system using FTP

B. Only the sysadmin account is permitted to access the system using FTP

C. Only accounts with the backup operator role are permitted to access the system using FTP

D. Only accounts with the user role are permitted to access the system using FTP

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Question #3 *Topic 1*

A customer uses a backup application to backup data to a Dell PowerProtect Data Domain appliance.

In their environment, they require:

Dedicated SAN traffic

No backup traffic on production IP network

Which connectivity option should the implementation engineer configure?

A. Enable NFS

B. DD Boost over FC

C. Enable CIFS

D. VTL over Ethernet

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Question #4 *Topic 1*

An implementation engineer finds that the Dell PowerProtect Data Manager fails to add the Dell PowerProtect Data Domain appliance. The connection test fails.

What three actions should be taken to resolve the issue? (Choose three.)

A. Check DD Boost service status

B. Verify network connectivity

C. Upgrade the Data Domain to the latest versions

D. Reboot the Data Domain appliance

E. Check credentials.

Suggested Answer: *A, B, E*

Currently there are no comments in this discussion, be the first to comment!

Question #5 *Topic 1*

Refer to the exhibit.

Which port is the cable misconfiguration identified in the command output?

```
Enclosure Show Topology detailed
------------------------
Port           enc.ctrl.port       enc.ctrl.port
-----     -    --------------      -----------------
2a        >    2.B.H: 2.B.E   >    3.B.H: 3.B.E
2b        >    4.B.H: 4.B.E   >    5.B.H: 5.B.E
2c        >    7.A.H: 7.A.E   >    6.A.H: 6.A.E
2d
3a        >    3.A.H:  3.A.E  >    2.A.H: 2.A.E
3b        >    6.B.H:  6.B.E  >    7.B.H: 7.B.E
3c             5.A.E:  5.A.H  >    4.A.E: 4.A.H
3d        >
6a        >
6b
6c
6d        >
------     -    ----------------   -    ---------------
```

A. 3a

B. 2c

C. 3c

D. 2a

Suggested Answer: *A*

The 3a row's endpoint mappings are crossed, identifying the misconfigured cable.

Currently there are no comments in this discussion, be the first to comment!

Question #6 *Topic 1*

During a project kick-off meeting, the customer's IT team states that they require centralized user authentication and access control for their Dell PowerProtect Data Domain environment.

Which authentication method best meets this requirement?

A. Local user accounts

B. LDAP/AD integration

C. Two-factor authentication

D. SMTP authentication

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Question #7 *Topic 1*

An implementation specialist must configure data immutability on their Dell PowerProtect Data Domain appliance at the highest level available for Data Domain Operating System.

What can they do to meet this requirement?

A. Enable DD Retention Lock Governance.

B. Enable DD Retention Lock Compliance.

C. Move Data Domain to an airgap network.

D. Disable remote login and allow DDBoost backup access only.

E. Require passwords of 24-characters or longer.

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Question #8 *Topic 1*

An implementation engineer must let a network monitoring tool poll the Dell PowerProtect Data Domain appliance status securely over SNMP.

Which SNMP configuration should be enabled?

A. SNMP v3 with user authentication

B. SNMP v3 on UDP port 25

C. SNMP default traps to trap host

D. SNMP v2c with default community

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Question #9 *Topic 1*

Which command is used to manually configure the IP address and netmask for the management interface on a Dell PowerProtect Data Domain appliance?

A. net config

B. interface config

C. net set interface

D. config set

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Question #10 *Topic 1*

An implementation engineer is asked to enable a DD Boost Interface Group on a Dell PowerProtect Data Domain Appliance that is used for replication of Dell Avamar backups.

Which three options are valid choices to access the DDOS and modify the Interface Group? (Choose three.)

A. Connect using CLI through SSH

B. Connect using keyboard and monitor

C. Use iDRAC Serial Over LAN

D. Use the shell option in the System Manager

E. Update configuration with WinSCP

Suggested Answer: *A, B, C*

Currently there are no comments in this discussion, be the first to comment!

Question #11 *Topic 1*

Which page in the Dell Data Domain System Manager should an implementation engineer open to confirm model, DDOS version, uptime, and serial numbers?

A. Dashboard > Overview

B. Maintenance > System

C. Data Management > File System

D. Hardware > System

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Question #12 *Topic 1*

A customer is adding an ES40 to a Dell PowerProtect DD9410 for storage expansion.

When cabling SAS cables to the controller what should the technician do?

A. Ensure there is enough slack for the controller to fully extended out of the rack.

B. Bypass the cable management arm and connect directly to the controller.

C. Ensure that cables are pulled tight to dress it properly.

D. Allow all cables to hang freely for more flexibility.

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Question #13 *Topic 1*

An implementation engineer is performing an initial configuration of Cloud Tier on a Dell PowerProtect Data Domain Virtual Edition (DDVE) appliance.

What must they do before implementing this feature?

A. Replication must be disabled

B. The file system must be disabled

C. Encryption must be enabled

D. Security policy must be enabled

Suggested Answer: *B*

Currently there are no comments in this discussion, be the first to comment!

Question #14 *Topic 1*

A deployment engineer is configuring a syslog server on a Dell PowerProtect Data Domain appliance. They must ensure that all logs are correctly received by the syslog server.

What must be verified to ensure this will work as expected?

A. System alerts must be configured

B. DDOS version must be 7.13 or higher

C. Port 514/UDP must be open in the firewall settings

D. SNMP must be enabled

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Question #15 *Topic 1*

An implementation engineer is at a customer site and is powering-up the Dell PowerProtect Data Domain DD9910 with three DS600 expansion shelves.

What must be done before powering-up the controller?

A. Connect the power cables to the expansion shelves

B. Verify network cables are properly connected

C. Check the system identification button

D. Access the iDRAC console to verify system

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Question #16 *Topic 1*

What is the default password for iDRAC root user on a Dell PowerProtect Data Domain appliance?

A. System Serial Number

B. Express Service Code

C. Service Tag

D. QR code

Suggested Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Question #17 *Topic 1*

Your customer requires that no Dell PowerProtect Data Manager backups are deleted, but they also want the flexibility to modify the expiration period once a legal hold is lifted.

Which Dell PowerProtect Data Domain feature would meet the customer's needs?

A. Retention Lock Governance

B. Locking the File System

C. Cloud Tier

D. Retention Lock Compliance

Suggested Answer: *A*

Currently there are no comments in this discussion, be the first to comment!

Question #18 *Topic 1*

Which Dell PowerProtect Data Domain appliance requires a deep rack?

A. DD9410

B. DD9910F

C. DD6410

D. DD9910

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!

Question #19 *Topic 1*

An implementation engineer has enabled Single Sign-On (SSO) but uses cannot authenticate to the Dell PowerProtect Data Domain appliance.

What must be completed to allow SSO login?

A. Enable only IDP

B. Disable password authentication

C. Remove local accounts

D. Register the system with the SSO provider

Suggested Answer: *D*

Currently there are no comments in this discussion, be the first to comment!